CANADIAN JOURNAL OF CIVIL ENGINEERING

REVUE CANADIENNE DE GÉNIE CIVIL

VOLUME 11, 1984

Author Index / Index des auteurs

Abdel-Gawad, S.M., and McCorquodale, J.A. Hydrodynamic of circular primary clarifiers, 299.
Adams, P.F., see Narayanan, R., 671.
Allen, D.E., and Pernica, G. A simple absorber for walking vibrations, 112.
Allman, R.J. The transportation of hazardous products in pipelines through urban areas, 99.
Andres, D.D., and Doyle, P.F. Analysis of breakup and ice jams on the Athabasca River at Fort McMurray, Alberta, 444.
Ang, K.M., and Morris, G.A. Analysis of three-dimensional frames with flexible beam – column connections, 245.
Awad, A.M., and Humar, J.L. Dynamic response of buildings to ground rotational motion, 48.
Awad, A.M., and Humar, J.L. Dynamic response of buildings to ground rotational motion: Reply, 1022.
Baird, W.F., and Hall, K.R. The design of armour systems for the protection of rubble mound breakwaters, 164.
Baker, K.A., see Kennedy, D.J.L., 324.
Baker, K.A., and Kennedy, D.J.L. Resistance factors for laterally unsupported steel beams and biaxially loaded steel beam columns, 1008.
Baker, K.A., and Kulak, G.L. Fatigue strength of a groove weld on steel backing, 692.
Bakht, B., and Jaeger, L.G. Erratum: Bridge aesthetics, 137.
Bakht, B., and Jaegar, L.G. Bridge aesthetics: Reply, 369.
Bakht, B., and Jaeger, L.G. Beam-and-slab bridges with small skew: Discussion, 1020.
Bardell, K.H. Thermal performance of sheet steel walls exposed to fire, 346.
Barnes, P. Structure and performance of cements: Reviewed by V.S. Ramachandran, 1027.
Beauchamp, J.C., Chan, M.Y.T., and Pion, R.H. Repair and evaluation of a damaged truss bridge—Lewes, Yukon River, 494.
Bein, P. Uncertainty, time, and risk in the optimization of maintenance and rehabilitation of pavements, 308.
Beltaos, S. Ice jams in shallow rivers with floodplain flow: Discussion, 370.
Beltaos, S. A conceptual model of river ice breakup, 516.
Bewtra, J.K., see Ridley, K.J.D., 196.
Billing, J.R. Dynamic loading and testing of bridges in Ontario, 833.
Branco, F.A., and Green, R. Bracing for composite box girder bridges, 844.
Branco, F.A., and Green, R. Bracing in completed composite box girder bridges, 967.
Brière, F., see Dubuc, Y., 610.
Bryan, R.B., see Honsaker, J.L., 993.
Calkins, D.J. Ice cover melting in a shallow river, 255.
Calkins, D.J. Ice jams in shallow rivers with floodplain flow: Reply, 372.
Cameron, G.E., see Grierson, D.E., 863.
Campbell, I.A., see Honsaker, J.L., 993.
Chan, M.Y.T., see Beauchamp, J.C., 494.
Charron, M.S., et Marche, M.C. Une génération interactive des données pour appliquer la méthode des éléments finis, 335.
Chee, S.P., and Haggag, M.R.I. Flow resistance of ice-covered streams, 815.
Cheung, M.S., see Korol, R.M., 377.
Claus, B.R., Russell, S.O., and Schaerer, P. Variation of ground snow loads with elevation in Southern British Columbia, 480.
Cotterill, R. Bituminous surface treatment and its effectiveness as a municipal road surface—Faro, Yukon, 57.
Cuming, D.J. Ontario's heritage bridge program, 239.
Curtis, C.R., and Wilson, K.C. A graphical technique for free-surface transients, 362.
Davenport, A.G., see Harman, D.J., 556.
Davenport, A.G., see Kolousek, V., 1025.
Davenport, A.G., and Surry, D. Turbulent wind forces on a large span roof and their representation by equivalent static loads, 955.
de la Noüe, J., see Lavoie, A., 266.
Desjardins, R., see Dubuc, Y., 610.
Dewey, R.J., see Palmer, M.D., 217.
Dewey, R.J., see Gowda, T.P.H., 459.

Dewey, R.J., and Palmer, M.D. St. John's Harbour water quality model, 65.
Dilger, W.H., see Sivakumaran, K.S., 404.
Dorton, R.A. The Ontario bridge code — Development and implementation, 824.
Dorton, R.A., Richardson, B.S., and Fam, A. Ontario Modular Bridge Analysis System, 751.
Doyle, P.F. Stochastic analysis of high flows in some Central British Columbia rivers: Discussion, 133.
Doyle, P.F., see Andres, D.D., 444.
Dubuc, Y., Desjardins, R., Brière, F., and Piron, D.L. Utilization of a microcomputer in the calculation of calcocarbonic equilibrium curves, 610.
Eid, B.M., and Zemell, S.H. Erratum: Dynamic analysis of a suspended pump in a vertical well connected to the ocean, 137.
El-Fitiany, F.A., see Ruus, E., 717.
Elhadi, N., Harrington, A., Hill, I., Lau, Y.L., and Krishnappan, B.G. River mixing—A state-of-the-art report, 585.
El Kafrawy, M.F., see Hartley, G.A., 8.
Elkholy, I.A., see Szeliski, Z.L., 625.
Ellyin, F. Calcul des structures hyperstatiques: Critique par G. Fonder, 1026.
Falcone, J.P., see Smith, A.A., 530.
Fam, A. Analysis and design of a rigid frame bridge with skew, curved plan geometry, 616.
Fam, A., see Dorton, R.A., 751.
Fischer, O., see Kolousek, V., 1025.
Fitzharris, B.B., see Schaerer, P.A., 74.
Frederking, R., and Nakawo, M. Ice action on Nanisivik wharf, winter 1979 – 1980, 996.
Fonder, G., see Ellyin, F., 1026.
Gardner, N.J., see Wilby, C.B., 376.
Gerard, R., see Putz, G., 177.
Ghali, A., see Razaqpur, A.G., 943.
Ghaswala, S.K. Bridge aesthetics: Discussion, 368.
Ghaswala, S.K., see Leonhardt, F., 374.
Goulter, I.C. Rainfall – elevation relationships in the Wilson Creek Experimental Watershed, 121.
Gowda, T.P.H., and Dewey, R.J. Impact of proposed Glengowan Dam flow augmentation on Thames River water quality, 459.
Gowda, T.P.H., and Post, L.E. Mixing zone studies in the Grand River Basin, 204.
Green, R., see Branco, F.A., 844.
Green, R., see Branco, F.A., 967.
Grierson, D.E., and Cameron, G.E. Computer-automated synthesis of building frameworks, 863.
Grouni, H.N., and Nowak, A.S. Calibration of the Ontario Bridge Design Code 1983 edition, 760.
Haas, A.M. Precast concrete: Design and applications: Reviewed by Zenon A. Zielinski, 1025.
Hafez, M.A., see Kennedy, D.J.L., 139.
Haggag, M.R.I., see Chee, S.P., 815.
Hall, C., and Kalimeris, A.N. Rain absorption and runoff on porous building surfaces, 108.
Hall, K.R., see Baird, W.F., 164.
Handegord, G., see Hutcheon, N.B., 1024.
Hanlan, C.E., see Marett, D.C., 632.
Harman, D.J., Davenport, A.G., and Wong, W.S.S. Traffic loads on medium and long span bridges, 556.
Harrington, A., see Elhadi, N., 585.
Harrington, R.A., and McLean, D.G. Field observations of river bed scour on the Peace River near Fort Vermilion, Alberta, 782.
Harris, P.J., see Wing, P.C., 133.
Hartley, G.A., and El Kafrawy, M.F. Elongated columns and column offsets in reinforced concrete building frames, 8.
Hill, I., see Elhadi, N., 585.
Hirst, M.J.S. Thermal loading of concrete bridges, 423.
Hon, S.P., see Loov, R.E., 92.
Honsaker, J.L., Campbell, I.A., and Bryan, R.B. Remote semiautomatic instrumentation for intermittent streamflow measurement and suspended sediment sampling, 993.
Hope, B.B., and Malhotra, V.M. The measurement of concrete permeability, 287.
Humar, J.L., see Awad, A.M., 48.
Humar, J.L., see Surana, C.S., 117.
Humar, J.L. Design for seismic torsional forces, 150.
Humar, J.L. A proposal to improve the static torsional provisions for the National Building Code of Canada: Discussion, 668.

Humar, J.L., see Surana, C.S., 1021.
Humar, J.L., see Awad, A.M., 1022.
Hutcheon, N.B., and Handegord, G. Building science for a cold climate: Reviewed by J. Timusk, 1024.
Iverson, J.K., and Rattray, R.R. Construction of the Linn Cove Bridge, 685.
Jaeger, L.G., see Bakht, B., 137.
Jaeger, L.G., see Bakht, B., 369.
Jaeger, L.G., see Bakht, B., 1020.
James, W., and Unal, A. Evolving data processing environment for computational hydraulics systems, 187.
Kahangire, P., see Schiller, E.J., 743.
Kalimeris, A.N., see Hall, C., 108.
Karney, B., see Ruus, E., 717.
Keenan, F.J., see McMartin, K.C., 978.
Kennedy, D.J.L., see Baker, K.A., 1008.
Kennedy, D.J.L., and Baker, K.A. Resistance factors for steel highway bridges, 324.
Kennedy, D.J.L., and Hafez, M.A. A study of end plate connections for steel beams, 139.
Kolousek, V., Pirner, M., Fischer, O., and Naprstek, J. Wind effects on civil engineering structures: Reviewed by A.G. Davenport, 1025.
Korol, R.M., Thimmhardy, E.G., and Cheung, M.S. Field investigation of out-of-plane deviations for steel box girder bridges, 377.
Krishnappan, B.G., see Elhadi, N., 585.
Kulak, G.L., see Baker, K.A., 692.
Kulka, F., and Lin, T.Y. Comparative studies of medium-span box girder bridges with other precast systems, 396.
Lainey, L., and Tinawi, R. The mechanical properties of sea ice — A compilation of available data, 884.
Lau, Y.L., see Elhadi, N., 585.
Lavoie, A., de la Noüe, J., et Sérodes, J.B. Récupération de microalgues en eaux usées: étude comparative de divers agents floculants, 266.
Lee, K.-B., see Smith, A.A., 854.
Leonhardt, F. Bridges—Aesthetics and design (Brucken—Asthetik und Gestaltung): Reviewed by Soli K. Ghaswala, 374.
Lin, T.Y., see Kulka, F., 396.
Litster, R. Comments on the health and safety in construction aspects of the Proceedings of the IABSE Workshop, Tokyo, 1982, 130.
Loov, R. Local buckling capacity of C-shaped cold-formed steel sections with punched webs, 1.
Loov, R.E., Hon, S.P., and Ward, M.A. Air-entrained grouts suitable for post-tensioning, 92.
Lydon, F.D. Contrete mix designs: Reviewed by V.M. Malhotra, 136.
Madugula, M.K.S., and Ray, S.K. Ultimate strength of eccentrically loaded cold-formed angles, 225.
Madugula, M.K.S., and Ray, S.K. Cross-sectional properties of cold-formed angles, 649.
Madugula, M.K.S., and Ray, S.K. Biaxial bending of cold-formed angle members, 933.
Malhotra, V.M., see Tattersall, G.H., 135.
Malhotra, V.M., see Lydon, F.D., 136.
Malhotra, V.M., see Hope, B.B., 287.
Manning, P. A strategy for multiprofessional design of buildings, 25.
Marche, M.C., see Charron, M.S., 335.
Marett, D.C., and Hanlan, C.E. The Pretoria Avenue Bridge – old and new, 632.
Marsalek, J., and Watt, W.E. Design storms for urban drainage design, 574.
Marsh, C. Eccentrically loaded bolted beam connections: Discussion, 132.
Massiéra, M., et Pelchat, C. Construction du barrage OA-11 sur la rivière Eastmain, 273.
McBean, E., Penel, J., and Siu, K.-L. Uncertainty analysis of a delineated floodplain, 387.
McClure, R.M., and West, H.H. Full-scale testing of a prestressed concrete segmental bridge, 505.
McCorquodale, J.A., see Ridley, K.J.D., 196.
McCorquodale, J.A., see Abdel-Gawad, S.M., 299.
McLean, D.G., see Harrington, R.A., 782.
McMartin, K.C., Quaile, A.T., and Keenan, F.J. Strength and structural safety of long-span light wood roof trusses, 978.
Michel, B. Comparison of field data with theories on ice cover progression in large rivers, 798.
Morris, G.A., see Ang, K.M., 245.
Nakawo, M., see Frederking, R., 996.
Naprstek, J., see Kolousek, V., 1025.
Narayanan, R. Beams and beam columns—stability and strength: Reviewed by P.F. Adams, 671.

Neill, C.R. Initiation of motion conditions for shale sediments: Discussion, 372.
Nguyen, V.-T.-V. A stochastic description of temporal daily rainfall patterns, 234.
Nowak, A.S., see Grouni, H.N., 760.
Oldham, W.K., and Stevens, G.M. Initial operating experiences of a nutrient removal process (Modified Bardenpho) at Kelowna, British Columbia, 474.
Palmer, M.D., see Dewey, R.J., 65.
Palmer, M.D. Surface streaking and fecal coliform levels, 351.
Palmer, M.D., and Dewey, R.J. Beach fecal coliforms, 217.
Pavlica, S., see Temple, M.C., 355.
Pelchat, C., see Massiéra, M., 273.
Penel, J., see McBean, E., 387.
Pernica, G., see Allen, D.E., 112.
Pilon, G., see Rohan, K., 655.
Pion, R.H., see Beauchamp, J.C., 494.
Pirner, M., see Kolousek, V., 1025.
Piron, D.L., see Dubuc, Y., 610.
Post, L.E., see Gowda, T.P.H., 204.
Putz, G., Smith, D.W., and Gerard, R. Microorganism survival in an ice-covered river, 177.
Quaile,, A.T., see McMartin, K.C., 978.
Racic, D., see Temple, M.C., 355.
Ramachandran, V.S., see Barnes, P., 1027.
Ramakko, O.E. The Twelve Mile Creek bridges—Design and construction, 771.
Rattray, R.R., see Iverson, J.K., 685.
Ray, S.K., see Madugula, M.K.S., 225.
Ray, S.K., see Madugula, M.K.S., 649.
Ray, S.K., see Madugula, M.K.S., 933.
Razaqpur, A.G., and Ghali, A. Forces at flange – web connections in T-beams, 943.
Richardson, B.S., see Dorton, R.A., 751.
Ridley, K.J.D., Bewtra, J.K., and McCorquodale, J.A. Behaviour of compacted fine-grained soil in a brine environment, 196.
Robinson, J.B., see Wilson, F.R., 924.
Rodway, L.E. Restoration of concrete snowsheds in Glacier National Park, British Columbia, 19.
Rohan, K., et Pilon, G. Influence de la turbulence sur la force tractrice dans les canaux rectangulaires lisses, 655.
Rose, P. Into the twentieth century — Two Toronto bridges, 875.
Russell, S.O., see Claus, B.R., 480.
Russell, S.O.D. Sensitivity analysis with dynamic programming, 127.
Rutenberg, A. Dynamic response of buildings to ground rotational motion: Discussion, 1021.
Ruus, E., Karney, B., and El-Fitiany, F.A. Charts for water hammer in low head pump discharge lines resulting from water column separation and check valve closure, 717.
Schaerer, P., see Claus, B.R., 480.
Schaerer, P.A., and Fitzharris, B.B. Estimation of the mass of large snow avalanches, 74.
Schiller, E.J., and Kahangire, P. Analysis and computerized model of the automatic hydraulic ram pump, 743.
Scordelis, A.C., see Seible, F., 411.
Seible, F., and Scordelis, A.C. Nonlinear behaviour and failure analysis of multicell reinforced concrete box girder bridges, 411.
Sérodes, J.B., see Lavoie, A., 266.
Sharma, S.C., and Soliman, A.H. Improvements in calibration and understanding of the competing opportunities model of trip distribution, 1003.
Sinha, N.K. Uniaxial compressive strength of first-year and multi-year sea ice, 82.
Siu, K.-L., see McBean, E., 387.
Sivakumaran, K.S., and Dilger, W.H. Analysis of concrete structures subjected to sustained temperature gradients, 404.
Smith, A.A., and Falcone, J.P. MIDUSS — A design program for storm water sewerage, 530.
Smith, A.A., and Lee, K.-B. The rational method revisited, 854.
Smith, C.D. Scour control at Outlook Bridge—A case study, 709.
Smith, D.W., see Putz, G., 177.
Smith, D.W., see Tilsworth, T., 542.
Snelling, J. The Merivale Rail Bridge, Brisbane, Australia, 673.

Soliman, A.H., see Sharma, S.C., 1003.
Springfield, J. Axially compressed members, 662.
Stevens, A.M., see Wilson, F.R., 924.
Stevens, G.M., see Oldham, W.K., 474.
Surana, C.S., and Humar, J.L. Beam-and-slab bridges with small skew, 117.
Surana, C.S., and Humar, J.L. Beam-and-slab bridges with small skew: Reply, 1021.
Surry, D., see Davenport, A.G., 955.
Szeliski, Z.L., and Elkholy, I.A. Fatigue investigation of a railway truss bridge, 625.
Tattersall, G.H. The rheology of fresh concrete: Reviewed by V.M. Malhotra, 135.
Taylor, G.W. Design of the Murray and Wolverine River rail bridges, 701.
Temple, M.C., Racic, D., and Pavlica, S. Floor trusses subjected to a concentrated load, 355.
Thimmhardy, E.G., see Korol, R.M., 377.
Tilsworth, T., and Smith, D.W. Cold climate facultative lagoons, 542.
Timusk, J., see Hutcheon, N.B., 1024.
Tinawi, R., see Lainey, L., 884.
Tsang, G. Modelling criteria for bubble plumes—a theoretical approach, 293.
Tso, W.K. A proposal to improve the static torsional provisions for the National Building Code of Canada: Reply, 669.
Unal, A., see James, W., 187.
Wankiewicz, A. Analysis of winter heat flow in an ice-covered Arctic stream, 430.
Ward, M.A., see Loov, R.E., 92.
Watt, W.E., see Marsalek, J., 574.
West, H.H., see McClure, R.M., 505.
Wilby, C.B. Structural concrete: Reviewed by N.J. Gardner, 376.
Wilson, F.R., Stevens, A.M., and Robinson, J.B. Identifying mode choice constrained urban travel market segments, 924.
Wilson, K.C., see Curtis, C.R., 362.
Wing, P.C., and Harris, P.J. Eccentrically loaded bolted beam connections: Reply, 133.
Wong, W.S.S., see Harman, D.J., 556.
Yan, H.T. The structural design of Terminal 2 parking structure at Toronto (Malton) International Airport, 35.
Zemeil, S.H., see Eid, B.M., 137.
Zielinski, Z.A., see Haas, A.M., 1025.